

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

What is claimed is:

1. (Currently amended) A porous organosilicate polymer composite prepared by heating an organic/inorganic hybrid polymer in which an organosilicate polymer is chemically bonded to a radial pore-forming polymer ended with a hydrolyzable alkoxyethyl group and used as a core molecule, wherein the hydrolyzable alkoxyethyl group of the radial pore-forming polymer is -CONH-(CH₂)₃-Si(OC₂H₅)₃, -CH₂CH(CH₃)-CH₂O(CH₂)₃-Si(CH₃)₂(OC₂H₅), -CH₂CH(OH)-CH₂O(CH₂)₃-Si(CH₃)(OC₂H₅)₂ or -CH₂CH(OH)-CH₂O(CH₂)₃-Si(CH₃)(OCH₃)₂.

2. (Original) The porous organosilicate polymer composite of claim 1, wherein the heating is carried out at 200 to 500°C.





3. (Original) The porous organosilicate polymer composite of claim 1, wherein the organosilicate polymer is chemically bonded to the radial pore-forming polymer by hydrolysis, dehydrolysis, and polycondensation.

4. (Canceled).

5. (Currently amended) The porous organosilicate polymer composite of claim 1, wherein the radial pore-forming polymer comprises a branch portion having the hydrolyzable alkoxyethyl group at an end and a central portion linked to the branch portion, and the central portion is formed by an ether selected from aliphatic ethers of [[C1-C30]] C₁-C₃₀ and aromatic ethers of [[C6-C30]] C₆-C₃₀.

6. (Original) The porous organosilicate polymer composite of claim 5, wherein the central portion of the radial pore-forming polymer is formed using di(trimethylolpropane), di(pentaerythritol), or a derivative thereof having several end hydroxyl groups.

7. (Original) The porous organosilicate polymer composite of claim 1, wherein the branch portion of the radial pore-forming polymer is prepared by ring-opening polymerization of one of cyclic compounds represented by Formulae 1A through 1D:



wherein a is 2 to 5.


8-9. (Canceled).

10. (Original) The porous organosilicate polymer composite of claim 1, wherein the organosilicate polymer is selected from the group consisting of methyl silsesquioxene, ethyl silsesquioxene, and hydrogen silsesquioxene.

11. (Original) The porous organosilicate polymer composite of claim 1, wherein the organosilicate polymer is obtained by hydrolysis, dehydrolysis, and polycondensation of one or more silane compounds, and the silane compounds are selected from the group consisting of trichlorosilane, methyltriethoxysilane, methyltrimethoxysilane, methyldiethoxysilane, methyldimethoxysilane,

thyltriethoxysilane, ethyltrimethoxysilane, ethyldiethoxysilane, ethyldimethoxysilane, bistrimethoxysilylethane, bistriethoxysilylethane, bistriethoxysilylmethane, bistriethoxysilyloctane, and bistrimethoxysilylhexane.

12. (Original) The porous organosilicate polymer composite of claim 1, wherein the radial pore-forming polymer is represented by Formula 2:



wherein X is $-\text{CONH}-(\text{CH}_2)_3-\text{Si}(\text{OC}_2\text{H}_5)_3$, $-\text{CH}_2\text{CH}(\text{CH}_3)-\text{CH}_2\text{O}(\text{CH}_2)_3-\text{Si}(\text{CH}_3)_2(\text{OC}_2\text{H}_5)$, $-\text{CH}_2\text{CH}(\text{OH})-\text{CH}_2\text{O}(\text{CH}_2)_3-\text{Si}(\text{CH}_3)(\text{OC}_2\text{H}_5)_2$ or $-\text{CH}_2\text{CH}(\text{OH})-\text{CH}_2\text{O}(\text{CH}_2)_3-\text{Si}(\text{CH}_3)(\text{OCH}_3)_2$, and n is 2 to 20.

13. (Canceled).

14. (Original) The porous organosilicate polymer composite of claim 1, wherein the radial pore-forming polymer has a weight average molecular weight of 500-20,000 g/mol and the organosilicate polymer has a weight average molecular weight of 3,000-20,000 g/mol.

15. (Original) The porous organosilicate polymer composite of claim 1, wherein the organic/inorganic hybrid polymer has a weight average molecular weight of 3,000 to 100,000 g/mol.

16. (Original) The porous organosilicate polymer composite of claim 1, wherein the radial pore-forming polymer is 1 to 50 wt% and the organosilicate polymer is 50 to 99 wt%.

17-18. (Canceled).